





Approved for use through 07/31/2006. OMB 0651-0031

U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449/PTO

*(Use as many sheets as necessary)*

Sheet	1	of	3
-------	---	----	---

**Complete if Known**

Application Number	10/784410
Filing Date	02/23/2004
First Named Inventor	Muncaster, John W.
Art Unit	<del>3697</del> 1772
Examiner Name	P. Nordmeyer
Attorney Docket Number	72531/00001

## U. S. PATENT DOCUMENTS

[illegible]

## FOREIGN PATENT DOCUMENTS

[illegible]


Examiner Signature /Patricia Nordmeyer/

Date Considered	09/13/2006
-----------------	------------

\*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. <sup>1</sup> Applicant's unique citation designation number (optional). <sup>2</sup> See Kinds Codes of USPTO Patent Documents at [www.uspto.gov](http://www.uspto.gov) or MPEP 901.04. <sup>3</sup> Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). <sup>4</sup> For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. <sup>5</sup> Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. <sup>6</sup> Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

**If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.**



PTO/SB/08B (08-03)

Approved for use through 07/31/2006. OMB 0651-0031

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no person is required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449/PTO

**INFORMATION DISCLOSURE  
STATEMENT BY APPLICANT**

(Use as many sheets as necessary)

**Complete if Known**

Application Number	10/784410
Filing Date	02/23/2004
First Named Inventor	Muncaster, John W.
Art Unit	<del>3697</del> 1772
Examiner Name	P. Nordmeyer
Attorney Docket Number	72531/00001

Sheet 2 of 3

**NON PATENT LITERATURE DOCUMENTS**

Examiner Initials*	Cite No. <sup>1</sup>	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T <sup>2</sup>
PN		GRACE CONSTRUCTION PRODUCTS, Structural Waterproofing - Detail Drawings, 10/30/2003, at: <a href="http://www.na.graceconstruction.com/template.cfm?page=/waterproofing/dd_bit201.html">www.na.graceconstruction.com/template.cfm?page=/waterproofing/dd_bit201.html</a> .	
		GRACE CONSTRUCTION PRODUCTS, Structural Waterproofing - Detail Drawings, 10/30/2003, at: <a href="http://www.na.graceconstruction.com/template.cfm?page=/waterproofing/dd_bit202.html">www.na.graceconstruction.com/template.cfm?page=/waterproofing/dd_bit202.html</a>	
		GRACE CONSTRUCTION PRODUCTS, Structural Waterproofing - Detail Drawings, 10/30/2003, at: <a href="http://www.na.graceconstruction.com/template.cfm?page=/waterproofing/dd_pre209.html">www.na.graceconstruction.com/template.cfm?page=/waterproofing/dd_pre209.html</a>	
		CONSTRUCTION SPECIFICATIONS INSTITUTE, SpecData 2000, Grace Construction Products PrePrufe Waterproofing Systems, Section 07130, circa 2000, USA	
		PARBURY TECHNOLOGIES, Waterproofing Products Products Index, 10/28/2003, at: <a href="http://www.partech.com.au/wprofdes.htm">www.partech.com.au/wprofdes.htm</a>	
		MARKHAM CULVERTS LTD., Geotextiles, 10/28/2003, at: <a href="http://www.markham.com.pg/Culverts/geotex.htm">www.markham.com.pg/Culverts/geotex.htm</a> .	
		GEOSYNTHETICS, INC., Geomembranes, 10/28/2003, at: <a href="http://www.geo-synthetics.com/geomembranes.htm">www.geo-synthetics.com/geomembranes.htm</a> .	
		ADVANCED DRAINAGE SYSTEMS, INC., Geosynthetic Products, circa 1998, USA.	
		PARCHEM CONSTRUCTION PRODUCTS PTY, LTD., Index Preformed Membranes, Argo P, circa 2001, USA.	
PN		PARCHEM CONSTRUCTION PRODUCTS PTY, LTD., Index Preformed Membranes, Elastocene, circa 1999, USA.	


Examiner Signature	/Patricia Nordmeyer/	Date Considered	09/13/2006
--------------------	----------------------	-----------------	------------

\*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

<sup>1</sup> Applicant's unique citation designation number (optional). <sup>2</sup> Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.



PTO/SB/08B (08-03)

Approved for use through 07/31/2006. OMB 0651-0031

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no person is required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449/PTO

**INFORMATION DISCLOSURE  
STATEMENT BY APPLICANT**

(Use as many sheets as necessary)

**Complete if Known**

Application Number	10/784410
Filing Date	02/23/2004
First Named Inventor	Muncaster, John W.
Art Unit	<del>3637</del> 1772
Examiner Name	P. Nordmeyer
Attorney Docket Number	72531/00001

Sheet	3	of	3
-------	---	----	---

**NON PATENT LITERATURE DOCUMENTS**

Examiner Initials*	Cite No. <sup>1</sup>	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T <sup>2</sup>
PN		PARCHEM CONSTRUCTION PRODUCTS PTY, LTD., Index Preformed Membranes, Fidia, circa 1999, USA.	
		PARCHEM CONSTRUCTION PRODUCTS PTY, LTD., Index Preformed Membranes, Testudo, circa 2002, USA.	
		NUPLEX BUILDING PRODUCTS, Bituthene, 10/28/2003, at: <a href="http://www.nuplexbuilding.co.nz/bituthbr.htm">www.nuplexbuilding.co.nz/bituthbr.htm</a> .	
PN		POLYGUARD PRODUCTS, INC., PolyGuard Drainage Mats, 07/19/2000, USA.	

Examiner Signature	/Patricia Nordmeyer/	Date Considered	09/13/2006
--------------------	----------------------	-----------------	------------

\*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

<sup>1</sup> Applicant's unique citation designation number (optional). <sup>2</sup> Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.